



BUILT

TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG




Match

ALUMINIUM EXTENSION LADDER



Square Rungs



Outside slide guides



Anti-slip feet

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	APPROX.CUBES m ³
3*5	3415	475	1110	0.15
2*7	3630	415	1180	0.115
2*8	3920	415	1273	0.13

*Ladder leaning against the wall at a 72-degree angle.



BUILT
TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match


ALUMINIUM WIDER STEP LADDER



Ladder Stile: Anodized Surface




Wider Step Anti-Slip Texture



Non-Slip Rubber Feet
Fully Grip The Ground

STEP	LADDER HEIGHT mm	BOTTOM WIDTH mm	APPROX. SPREAD mm	APPROX. CUBES m ³
4	855	460	840	0.09
5	1070	495	1010	0.12
6	1290	530	1163	0.17



BUILT

TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG




Match

DOUBLE SIDE FIBERGLASS LADDER



Powder Coated Top Cap



Thicken(2.0mm) and Solid Spreader



Non-Slip Rubber Feet
Fully Grip The Group

STEP	ladder height mm	BOTTEM WIDTH mm	APPOX SPREAD mm	APPROX.CUBES m ³
6	1736	575	1309	0.15
7	2029	616	1388	0.19
8	2320	658	1689	0.22



BUILT

TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match

ALUMINIUM DOUBLE HOLES DUAL PURPOSE LADDER



Powder Coated Top Cap




Bouble Hole Flanging



Anti-Slip Feet

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	APPROX.CUBES m ³
6	1736	567	1195	0.19
7	2026	597	1384	0.24
8	2316	637	1572	0.3



BUILT

TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match

INDUSTRIAL DUAL PURPOSE FIBREGLASS LADDER



Powder Coated Top Cap



Thicken(2.0mm) and Solid Spreader



Non-Slip Rubber Feet
Fully Grip The Group

STEP	ladder height mm	BOTTEM WIDTH mm	APPOX SPREAD mm	APPROX.CUBES m ³
6	1738	576	1198	0.16
7	2029	616	1388	0.19



BUILT

TO

BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match

DOUBLE SIDE ALUMINIUM LADDER



Powder Coated Top Cap



Double Hole Flanging



Anti-Slip Feet

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	APPROX.CUBES m ³
3	866	446	740	0.07
4	1156	486	926	0.09
6	1736	567	1305	0.15



BUILT

TO

BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match

SINGLE SIDE ALUMINIUM LADDER



Powder Coated Top Cap



Double Hole Flanging



Anti-Slip Feet

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	APPROX.CUBES m ³
5	1455	527	883	0.12
6	1745	567	1040	0.13
7	2035	608	1195	0.20



Galvanized or powder coating hinge



Easy carry, Foldable



Anti-slip Rubber

PLATFORM	LADDER HEIGHT mm		BOTTEM WIDTH mm	APPROX. SPREAD mm	APPROX. CUBES m ³
300*600	Fixed	520	410	900	0.06
300*1150	Adjustable	590/690/790/910	410	1470	0.10
450*900	Adjustable	590/690/790/910	560	1220	0.12
450*1150	Adjustable	590/690/790/910	560	1470	0.15
600*1150	Adjustable	590/690/790/910	690	1470	0.17

MUTIPLE TYPES ALUMINIUM LADDER





BUILT

TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match



Powder coated top cap



Anti-slip texture



Anti-slip rubber

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	NET WEIGHT kg
6	1828	570	1720	9.2
7	2140	610	2006	10.6
8	2440	650	2290	12.3
9	2730	690	2578	13.65



BUILT


TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG




Match



Powder coated top cap



Anti-slip texture



Anti-slip rubber

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	NET WEIGHT kg
6	1825	520	1698	8
8	2434	595	2270	10.6
10	3043	667	2850	13.35
12	3648	806	3432	16.45



BUILT

TO
BE

ABOVE


MATCH LADDER'S PRODUCT CATALOG




Match



Powder coated top cap



Thicken(2.0mm)and solid spreader



Anti-slip rubber

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	NET WEIGHT kg
4	1115	487	915	7.65
6	1692	566	1287	11.1
8	2265	642	1675	15
10	2832	725	2110	17.6
12	3429	805	2465	21.57



BUILT

TO
BE

ABOVE


MATCH LADDER'S PRODUCT CATALOG




Match



Powder coated top cap



Thicken(2.0mm)and solid spreader



Anti-slip rubber

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	NET WEIGHT kg
6	1738	575	1200	12.45
7	2030	612	1395	14.15



BUILT


TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match



Powder coated top cap



Thicken(2.0mm)and solid spreader



Anti-slip rubber

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	NET WEIGHT kg
6	1820	530	1698	11.5
8	2433	605	2280	15.2
10	3042	677	2853	19.4
12	3651	750	3436	23.5



BUILT

TO
BE

ABOVE

MATCH LADDER'S PRODUCT CATALOG



Match



Powder coated top cap



Thicken(2.0mm)and solid spreader



Anti-slip rubber

STEP	LADDER HEIGHT mm	BOTTEM WIDTH mm	APPROX.SPREAD mm	NET WEIGHT kg
4	1245	455	1135	6.05
5	1553	490	1425	7.05
6	1855	532	1715	8.1
7	2160	566	2007	9.4
8	2468	603	2296	10.7
9	2776	639	2582	11.85
10	3081	677	2875	13.55
12	3693	750	3445	15.95
14	4302	825	4040	18.6